

# **Safety Data Sheet**

#### **Adhesive Remover Pads**

## Section 1. Identification

**Product Identifier** 

Synonyms

Adhesive Remover Pads MDS090855; MSD\_SDS0108

Manufacturer Stock

Numbers

MDS090855

Recommended use

Uses advised against

To remove adhesive from skin.

N/A

Manufacturer Contact

Address

Medline

3 Lakes Drive

Northfield, IL, 60093

USA

Phone

**Emergency Phone** 

(800) 424-9300

CHEMTREC

Fax

(847) 643-4436

Website

www.Medline.com

(800) 633-5463

## Section 2. Hazards Identification

Classification EYE DAMAGE/IRRITATION - Category 2B

FLAMMABLE LIQUIDS - Category 1

SKIN CORROSION/IRRITATION - Category 3

Signal Word Danger

#### **Pictogram**



Hazard Statements Causes eve irritation

Causes mild skin irritation

Extremely flammable liquid and vapor

**Precautionary Statements** 

Response If eye irritation persists: Get medical advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

If skin irritation occurs: Get medical advice/attention. In case of fire: Use appropriate fire extinguishing media.

Prevention Ground/bond container and receiving equipment.

Keep away from heat.

Keep container tightly closed.

Take precautionary measures against static discharge.
Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Wash affected area thoroughly after handling. Wear protective gloves/eye protection/face protection

Storage Store in a well-ventilated place. Keep cool.

Disposal N/A

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

N.A.

# Section 3. Ingredients

CAS	Ingredient Name	Weight %
64742-48-9	Naphtha, petroleum, hydrotreated heavy	60% - 100%
67-63-0	Isopropyl alcohol	10% - 30%
142-91-6	Hexadecanoic acid, 1-methylethyl ester	<10 %
112-10-7	Octadecanoic acid, 1-methylethyl ester	<10 %
110-27-0	Tetradecanoic acid, 1-methylethyl ester	<10 %

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First-Aid Measures

General Advice: Take proper precautions to ensure your own health and safety before

attempting rescue and providing first aid. Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Eye Contact: Flush eyes with large amounts of water for at least 15 minutes. Remove

contact lenses, if worn. If irritation persists, seek medical attention.

Skin Contact: Flush with water; if irritation persists, seek medical attention. Stop use if

irritation and redness develop. Ask a doctor if conditions worsen or persist for

more than 72 hours.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. If signs/symptoms continue, get medical attention.

Ingestion: If swallowed, call a physician immediately. Rinse mouth and throat thoroughly

with water. Do not induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs.

## Section 5. Fire Fighting Measures

Suitable Extinguishing

Media

Water spray.

Unsuitable Extinguishing Media

Special Fire Fighting

Procedures:

Self contained breathing apparatus and full protective clothing recommended.

In case of fire, use Dry Chemical, Foam or Carbon Dioxide (CO2)

#### Section 6. Accidental Release Measures

Flammable Small Spill: Absorb with an inert dry material and place in an appropriate waste disposal

container.

Flammable Large Spill: Flammable liquid. Keep away from heat. Keep away from sources of ignition.

Stop leak if without risk. Absorb with dry earth, sand or other non-combustible material. Do not touch spilled material. Prevent entry into sewers, basements

or confined areas; dike if needed.

Environmental precautions: Do not flush into surface water or sanitary sewer system. Should not be

released into the environment.

# Section 7. Handling and Storage

Handling Flammable: Keep away from heat. Keep away from sources of ignition. Ground all

equipment containing material. Do not ingest. Do not breathe gas/ fumes/ vapor/ spray. Avoid contact with eyes. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Keep

away from incompatibles such as oxidizing agents, acids.

Storage Flammable: Store in a segregated and approved area. Keep container in a cool,

well-ventilated area. Keep container tightly closed and sealed until ready for

use. Avoid all possible sources of ignition (spark or flame).

# Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

ACGIH TLV	OSHA PEL	STEL
N/A	N/A	N/A
TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm STEL: 500 ppm	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
	N/A TWA: 200 ppm STEL: 400 ppm N/A N/A	N/A         N/A           TWA: 200 ppm         TWA: 400 ppm           STEL: 400 ppm         STEL: 500 ppm           N/A         N/A

Personal Protective Equipment

N/A

**Engineering Controls:** 

Ventilation: None required.

Respiratory Protection:

None required under normal use conditions.

Eye Protection:

None required for normal use. For prolonged exposure, use appropriate

goggles, protective clothing and gloves.

Skin Protection:

None required for normal use. For prolonged exposure, use appropriate

goggles, protective clothing and gloves.

Other protective equipment: Not expected to be necessary under normal conditions of use. Where

exposure cannot be adequately controlled, use appropriate protective clothing

or equipment.

Work/hygienic practices:

Handle in accordance with good industrial hygiene and safety practices. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available

close to work areas.

# Section 9. Physical and Chemical Properties

Physical State	N.D.
Color	Colorless
	transparent
	solution
Odor	Fruity
Odor Threshold	N.A.
Solubility	N.D.
Partition coefficient Water/n-octanol	N.A.
VOC%	N/A
Viscosity	N.A.
Specific Gravity	0.9
Density lbs/Gal	N/A

Pounds per Cubic Foot	N/A
Flash Point	46° C
FP Method	N.D.
pH	N.A.
Melting Point	N.A.
Boiling Point	77° C
	(Solution)
Boiling Range	N.A.
LEL	N/A
UEL	N/A
Evaporation Rate	N.A.
Flammability	Flammable
Decomposition Temperature	N.A.
Auto-ignition Temperature	N.D.
Vapor Pressure	73 mmHg
	(Solution)
Vapor Density	3 (Solution)

# Section 10. Stability and Reactivity

Stability: Stable.

Reactivity: No reactivity expected under normal conditions.

Incompatibility (Materials to Strong oxidizing agents.

Avoid):

Hazardous Decomposition Burning may produce Carbon Monoxide, Carbon Dioxide and other hazardous

or Byproducts: components. Hazardous Polymerization: Will not occur.

Conditions to avoid: Heat. Ignition source.

# Section 11. Toxicological Information

Acute Toxicity: Eye Contact May cause irritation.

Acute Toxicity: Skin Contact May cause irritation and/or redness.

# Section 12. Ecological Information

Toxicity: N.D. Persistence and N.D.

degradability:

Bioaccumulative potential: N.D.

Mobility in soil: N.D.

Other adverse effects: N.D.

### Section 13. Disposal

Waste Disposal: Waste must be disposed of in accordance with federal, state and local

environmental control regulations.

#### Section 14. Transport Information

UN Number 3175

UN Proper Shipping Name Solids containing flammable liquid, n.o.s., (ISOPROPYL ALCOHOL)

DOT Classification 4.1
Packing Group II
IMDG - UN Number: 3175

IMDG - UN Proper Shipping Solids containing flammable liquid, n.o.s. (ISOPROPYL ALCOHOL)

Name:

IMDG - Hazard Class: 4.1IMDG - Packing Group: IIIATA - UN Number: 3175

IATA - UN Proper Shipping Solids containing flammable liquid, n.o.s. (ISOPROPYL ALCOHOL)

Name:

IATA - Hazard Class: 4.1
IATA - Packing Group: II

Additional information: The premoistened adhesive remover pads may be shipped as not regulated

according to:

DOT: Special Provision 47 IMDG: Special Provision 216 IATA: Special Provision A46

allows for UN3175, Solids, containing flammable liquid, n.o.s., in sealed packages, containing less than 10 ml to be exempted from the regulations,

provided there is no free liquid in the packet.

# Section 15. Regulatory Information

SARA 311/312: Refer to Section 2 of the SDS.

SARA 302: N.A. SARA 304: N.A. SARA 313: N.A.

TSCA: All components are listed or exempt.

CERCLA Hazardous N.A

Substance List:

Clean Air Act (CAA) Section N.A.

112, 112 (r):

New Jersey Right to Know ISOPROPYL ALCOHOL.

Components:

Pennsylvania Right to 2-PROPANOL.

**Know Components:** 

Rhode Island Right to isopropyl alcohol.

Know Components:

#### Section 16. Other Information

**Revision Date** 6/28/2022

Legend N.A. - Not Applicable

N.E. - Not Established

N.D. - Not Determined

HMIS (U.S.A.): Health HMIS (U.S.A.): Flammability 3 HMIS (U.S.A.): Reactivity HMIS (U.S.A.): Personal Α

Protection

National Fire Protection 1 Association (U.S.A): Health

Hazard

National Fire Protection 3 Association (U.S.A): Flammability

National Fire Protection Association (U.S.A): **Instability Hazard** 

Additional Information: The information contained herein is furnished without warranty or legal responsibility of any kind. Employers should use this information only as a

supplement to other information gathered by them and must make

independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health

of employees.

1